IEE Proceedings-C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 139 1992 UK ISSN 0143–7046

HONORARY EDITORS

Dr. D.R. Aubrey (*EA Technology*)
Prof. J.R. Smith (*University of Strathclyde*)

Pages in issues of *IEE Proceedings-C*, 1992

Pages	Issue No.	Date
1–80	1	January
81–176	2	March
177–300	3	May
301–364	4	July
365–460	5	September
461–540	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $3.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/92 $3.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1992: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, CEng, FIEE
Managing Editor: Gill Wheeler; *Senior Assistant Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Black Bear Press Limited, Cambridge, United Kingdom

IEE Proceedings-C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 139 1992 UK ISSN 0143–7046

HONORARY EDITORS

Dr. D.R. Aubrey (*EA Technology*)
Prof. J.R. Smith (*University of Strathclyde*)

Pages in issues of *IEE Proceedings-C*, 1992

Pages	Issue No.	Date
1–80	1	January
81–176	2	March
177–300	3	May
301–364	4	July
365–460	5	September
461–540	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $3.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/92 $3.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1992: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, CEng, FIEE
Managing Editor: Gill Wheeler; *Senior Assistant Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Black Bear Press Limited, Cambridge, United Kingdom

Index

ABBREVIATIONS

p paper, address or lecture
d discussion on a paper
a abstract of paper or address
e errata

IEE Proceedings-C
Generation, Transmission and Distribution
Vol. 139, 1992

Author index

A

Achuthan, N.R., Chakravarthy, S.K., and Nayar, C.V. see Chakravarthy, S.K.
Ahluwalia, D.S., and Billinton, R. see Billinton, R.
Ahmad, A., Johannet, P., and Auriol, Ph. Efficient inverse Laplace transform algorithm for transient overvoltage calculation p117
Al Rashed, S.A., Barakat, E.H., and Al-Qassim, J.M. see Barakat, E.H.
Al-Qassim, J.M., Barakat, E.H., and Al Rashed, S.A. see Barakat, E.H.
Allan, R.N., and Ubeda, J.R. see Ubeda, J.R.
Alolah, A.I. Errata p80
Alolah, A.I. Steady-state operating limits of three phase self-excited reluctance generator p261
Ancell, G.B., and Pahalawaththa, N.C. Effects of frequency dependence and line parameters on single ended travelling wave based fault location schemes p332
Arnold, C.P., Arrillaga, J., Sankar, S., and Watson, N.R. see Arrillaga, J.
Arrillaga, J., Sankar, S., Arnold, C.P., and Watson, N.R. Characteristics of unit-connected HVDC generator–convertors operating at variable speeds p295
Arrillaga, J., and Medina, A. see Medina, A.
Auriol, Ph., Ahmad, A., and Johannet, P. see Ahmad, A.

B

Babić, B.S., Bjelogrlić, M.R., Ćalović, M.S., and Ristanović, P.M. see Bjelogrlić, M.R.
Balasubramanian, R., Lakshmi, S.R., Tripathy, S.C., and Rao, K.S.P. see Lakshmi, S.R.
Bapi Raju, V., Nanda, J., Bijwe, P.R., and Henry, J. see Nanda, J.
Barakat, E.H., Al-Qassim, J.M., and Al Rashed, S.A. New model for peak demand forecasting applied to highly complex load characteristics of a fast developing area p136
Bijwe, P.R., Nanda, J., Henry, J., and Bapi Raju, V. see Nanda, J.
Billinton, R., and Ahluwalia, D.S. Incorporation of a DC link in a composite system adequacy assessment — DC system modelling p211
Billinton, R., and Ahluwalia, D.S. Incorporation of a DC link in a composite system adequacy assessment — composite system analysis p221
Billinton, R., and Chowdhury, A.A. Incorporation of wind energy conversion systems in conventional generating capacity adequacy assessment p47
Billinton, R., and Goel, L. Overall adequacy assessment of an electric power system p57
Biswas, J.R., Munshi, S., and Roy, C.K. see Munshi, S.
Bjelogrlić, M.R., Ćalović, M.S., Ristanović, P.M., and Babić, B.S. System voltage and reactive power control: A computer-assisted manual/automatic concept p491
Bumby, J.R., and Safi, S.K. see Safi, S.K.

C

Ćalović, M.S., Bjelogrlić, M.R., Ristanović, P.M., and Babić, B.S. see Bjelogrlić, M.R.
Carter, C.N., and Waldron, M.A. Mathematical model of dry-band arcing on self-supporting, all-dielectric, optical cables strung on overhead power lines p185
Celozzi, S., and D'Amore, M. Prediction models of standing wave patterns of distribution line carrier channels p102
Chakravarthy, S.K., Nayar, C.V., and Achuthan, N.R. Applying pattern recognition in distance relaying. Part 1: Concept p301
Chakravarthy, S.K., Nayar, C.V., and Achuthan, N.R. Applying pattern recognition in distance relaying. Part 2: Feasibility p306
Chang, C.S. Co-ordinated static and dynamic monitoring and optimisation of power systems using a parallel architecture and pattern recognition techniques p197
Chang, J.-D., and Chen, T.-H. see Chen, T.-H.
Chebbo, A.M., Irving, M.R., and Sterling, M.J.H. Reactive power dispatch incorporating voltage stability p253
Chebbo, A.M., Irving, M.R., and Sterling, M.J.H. Voltage collapse proximity indicator: behaviour and implications p241
Chen, T.-H., and Chang, J.-D. Open wye-open delta and open delta-open delta transformer models for rigorous distribution system analysis p227
Chen, X.S., and Neudorfer, P. Digital model for transient studies of a three-phase five-legged transformer p351
Chiodo, E., Losi, A., Mongelluzzo, R., and Rossi, F. Capability chart for electrical power systems p71
Chowdhury, A.A., and Billinton, R. see Billinton, R.
Cichocki, A., and Łobos, T. Adaptive analogue network for real-time estimation of basic waveforms of voltages and currents p343
Coelho, J., Leite da Silva, A.M., and Melo, A.C.G. see Leite da Silva, A.M.
Conlon, M., Wilcox, D.J., Hurley, W.G., and McHale, T.P. see Wilcox, D.J.
Cooper, C.B., Jweiles, Z.A., and Khan, G.A. Contribution of single-phase motors to system fault level p359
Crisan, O., and Mohtadi, M.A. Efficient identification of binding inequality constraints in the optimal power flow Newton approach p365

D

D'Amore, M., and Celozzi, S. see Celozzi, S.
Damborg, M., Weerasooriya, S., El-Sharkawi, M.A., and Marks II, R.J. see Weerasooriya, S.
David, A.K., and Li, Y.Z. Consumer rationality assumptions in the real-time pricing of electricity p315
Djukanovic, M., Sobajic, D.J., and Pao, Y.-H. Neural net based determination of generator-shedding requirements in electric power systems p427
Durga Prasad, G., Jana, A.K., and Dutta Gupta, P.B. see Jana, A.K.
Dutta Gupta, P.B., Jana, A.K., and Durga Prasad, G. see Jana, A.K.

E

El-Ela, Adel Ali Abou Fast and accurate technique for power system state estimation p7
El-Sharkawi, M.A., Weerasooriya, S., Damborg, M., and Marks II, R.J. see Weerasooriya, S.
Eskicioğlu, A.M., and Sevaioğlu, O. Feasibility of Lyapunov functions for power system transient stability analysis by the controlling UEP method p152

F

Ferreira, L.A.F.M. Short-term scheduling of a pumped storage plant p521

G

Gibbard, M.J., and Merchant, R.W. see Merchant, R.W.
Godec, Z., and Šarunac, R. Steady-state temperature rises of ONAN/ONAF/OFAF transformers p448
Goel, L., and Billinton, R. see Billinton, R.
Graovac, M., and Nahman, J. see Nahman, J.
Gyugyi, L. Unified power-flow control concept for flexible AC transmission systems p323

H

Hari, L., Nanda, J., Kothari, M.L., and Henry, J. see Nanda, J.
Hari, L., Nanda, J., and Kothari, M.L. see Nanda, J.
Hasan, A.S., Krishnaparandhama, T., and Howaidi, A.M. Load flow analysis by G–S reduction and restoration method p383
Henry, J., Nanda, J., Bijwe, P.R., and Bapi Raju, V. see Nanda, J.
Henry, J., Nanda, J., Hari, L., and Kothari, M.L. see Nanda, J.
Hicks, J.B., and Laughton, M.A. Tokamak poloidal field power supplies p166
Ho, K.-L., and Hsu, Y.-Y. see Hsu, Y.-Y.
Hong, Y.Y. Enhanced Newton optimal power flow approach: experiences in Taiwan power system p205
Hope, G.S., Kuloor, S., and Malik, O.P. see Kuloor, S.
Howaidi, A.M., Hasan, A.S., and Krishnaparandhama, T. see Hasan, A.S.
Howard, R., Young, D.J., Lo, K.L., McDonald, J.R., and Rye, J. see Young, D.J.
Hsu, Y.-Y., and Ho, K.-L. Fuzzy expert systems: an application to short-term load forecasting p471
Hurley, W.G., Wilcox, D.J., McHale, T.P., and Conlon, M. see Wilcox, D.J.

I

Irving, M.R., Chebbo, A.M., and Sterling, M.J.H. see Chebbo, A.M.

J

James, R.E., and Su, Q. see Su, Q.
Jana, A.K., Dutta Gupta, P.B., and Durga Prasad, G. Hybrid method to determine bus voltage and angle for line outage contingency evaluation p177
Johannet, P., Ahmad, A., and Auriol, Ph. see Ahmad, A.
Jweiles, Z.A., Cooper, C.B., and Khan, G.A. see Cooper, C.B.

K

Kagan, N., and Ter-Gazarian, A.G. see Ter-Gazarian, A.G.
Karady, G.G. Principles of fault limitation by a resonant LC circuit p1
Keyhani, A., and Moon, S.I. Maximum likelihood estimation of synchronous machine parameters and study of noise effect from DC flux decay data p76
Khan, G.A., Cooper, C.B., and Jweiles, Z.A. see Cooper, C.B.
Kothari, M.L., Nanda, J., Hari, L., and Henry, J. see Nanda, J.
Kothari, M.L., Nanda, J., and Hari, L. see Nanda, J.
Krishnaparandhama, T., Hasan, A.S., and Howaidi, A.M. see Hasan, A.S.
Kuan, K.K., and Warwick, K. Real-time expert system for fault location on high voltage underground distribution cables p235
Kuloor, S., Hope, G.S., and Malik, O.P. Environmentally constrained unit commitment p122
Kurzyn, M.S. Two-level state estimation for large power system. Part 1: Algorithms and Part 2: Computational experience p175

L

Lakshmi, S.R., Tripathy, S.C., Rao, K.S.P., and Balasubramanian, R. Production costing using mixed-radix and Winograd Fourier transforms p536
Lau, B.S., and Wong, K.P. see Wong, K.P.
Laughton, M.A., and Hicks, J.B. see Hicks, J.B.
Leite da Silva, A.M., Coelho, J., and Melo, A.C.G. Uncertainty considerations in frequency and duration analysis for large hydrothermal generating systems p277
Leite da Silva, A.M., and Pires de Souza, E.J.S. see Pires de Souza, E.J.S.
Li, Y.Z., and David, A.K. see David, A.K.
Lo, K.L., Young, D.J., McDonald, J.R., Howard, R., and Rye, J. see Young, D.J.
Lo, K.L., Zeng, P.L., Marchand, E., and Pinkerton, A. New bad-data detection and identification technique based on rotation of measurement order for sequential state estimation p387
Łobos, T. Fast estimation of symmetrical components in real time p27

Łobos, T., and Cichocki, A. see Cichocki, A.
Losi, A., Chiodo, E., Mongelluzzo, R., and Rossi, F. see Chiodo, E.

M

Malik, O.P. Application of a power system stabiliser and a static VAR controller to a multimachine power system p300
Malik, O.P., Kuloor, S., and Hope, G.S. see Kuloor, S.
Marchand, E., Lo, K.L., Zeng, P.L., and Pinkerton, A. see Lo, K.L.
Marks II, R.J., Weerasooriya, S., El-Sharkawi, M.A., and Damborg, M. see Weerasooriya, S.
McDonald, J.R., Young, D.J., Lo, K.L., Howard, R., and Rye, J. see Young, D.J.
McHale, T.P., Wilcox, D.J., Hurley, W.G., and Conlon, M. see Wilcox, D.J.
McHale, T.P., and Wilcox, D.J. see Wilcox, D.J.
Medina, A., and Arrillaga, J. Simulation of multilimb power transformers in the harmonic domain p269
Melo, A.C.G., Leite da Silva, A.M., and Coelho, J. see Leite da Silva, A.M.
Merchant, R.W., and Gibbard, M.J. Identification of synchronous machine parameters from standstill tests using recursive estimation with the bilinear operator p157
Mohtadi, M.A., and Crisan, O. see Crisan, O.
Mongelluzzo, R., Chiodo, E., Losi, A., and Rossi, F. see Chiodo, E.
Moon, S.I., and Keyhani, A. see Keyhani, A.
Morgan, V.T. Effect of mixed convection on the external thermal resistance of single-core and multicore bundled cables in air p109
Munshi, S., Roy, C.K., and Biswas, J.R. Computer studies of the performance of transformer windings against chopped impulse voltages p286

N

Nahman, J., and Graovac, M. Load modelling for generating capacity reliability evaluation using the frequency and duration method p529
Nanda, J., Bijwe, P.R., Henry, J., and Bapi Raju, V. General purpose fast decoupled power flow p87
Nanda, J., Hari, L., Kothari, M.L., and Henry, J. Extremely fast economic load dispatch algorithm through modified co-ordination equations p39
Nanda, J., Hari, L., and Kothari, M.L. Challenging algorithm for optimal reactive power dispatch through classical co-ordination equations p93
Nayar, C.V., Chakravarthy, S.K., and Achuthan, N.R. see Chakravarthy, S.K.
Neudorfer, P., and Chen, X.S. see Chen, X.S.
Nguyen, T.T. Corona discharge streamer model p31

O

O'Kelly, D. Calculation of the transient performance of protective current transformers including core hysteresis p455
Osowski, S. Neural network for estimation of harmonic components in a power system p129

P

Pahalawaththa, N.C., and Ancell, G.B. see Ancell, G.B.
Pao, Y.-H., Djukanovic, M., and Sobajic, D.J. see Djukanovic, M.
Patel, S.B. Fast super decoupled loadflow p13
Pinkerton, A., Lo, K.L., Zeng, P.L., and Marchand, E. see Lo, K.L.
Pires de Souza, E.J.S., and Leite da Silva, A.M. An efficient methodology for coherency-based dynamic equivalents p371

R

Rao, K.S.P., Lakshmi, S.R., Tripathy, S.C., and Balasubramanian, R. see Lakshmi, S.R.
Ristanović, P.M., Bjelogrlić, M.R., Čalović, M.S., and Babić, B.S. see Bjelogrlić, M.R.
Rossi, F., Chiodo, E., Losi, A., and Mongelluzzo, R. see Chiodo, E.
Roy, C.K., Munshi, S., and Biswas, J.R. see Munshi, S.
Rye, J., Young, D.J., Lo, K.L., McDonald, J.R., and Howard, R. see Young, D.J.

S

Safi, S.K., and Bumby, J.R. Analysis of magnetic fields in the slotted structure of a superconducting AC generator p411
Sankar, S., Arrillaga, J., Arnold, C.P., and Watson, N.R. see Arrillaga, J.
Šarunac, R., and Godec, Z. see Godec, Z.
Sevaioğlu, O., and Eskicioğlu, A.M. see Eskicioğlu, A.M.
Sobajic, D.J., Djukanovic, M., and Pao, Y.-H. see Djukanovic, M.
Sobocki, R. Numerical approximation of heat run test results of transformers by means of double exponential and power functions p469
Song, Y.H. Novel adaptive control scheme for improving power system stability p423
Sterling, M.J.H., Chebbo, A.M., and Irving, M.R. see Chebbo, A.M.
Stokes, A.D. High-voltage line-dropping switching stresses p21
Su, Q., and James, R.E. Analysis of partial discharge pulse distribution along transformer windings using digital filtering techniques p402

T

Teo, C.-Y., Ypsilantis, J., and Yee, H. see Ypsilantis, J.
Ter-Gazarian, A.G., and Kagan, N. Design model for electrical distribution systems considering renewable, conventional and energy storage units p499
Tripathy, S.C., Lakshmi, S.R., Rao, K.S.P., and Balasubramanian, R. see Lakshmi, S.R.

U

Ubeda, J.R., and Allan, R.N. Sequential simulation applied to composite system reliability evaluation p81

V

Vukelja, P.I., and Zdravković, Z.S. see Zdravković, Z.S.

W

Waldron, M.A., and Carter, C.N. see Carter, C.N.
Warwick, K., and Kuan, K.K. see Kuan, K.K.
Watson, N.R., Arrillaga, J., Sankar, S., and Arnold, C.P. see Arrillaga, J.
Weerasooriya, S., El-Sharkawi, M.A., Damborg, M., and Marks II, R.J. Towards static-security assessment of a large-scale power system using neural networks p64
Wilcox, D.J., Hurley, W.G., McHale, T.P., and Conlon, M. Application of modified modal theory in the modelling of practical transformers p513
Wilcox, D.J., and McHale, T.P. Modified theory of modal analysis for the modelling of multiwinding transformers p505
Wong, K.P., and Lau, B.S. Algorithm for load-shedding operations in reduced generation periods p478

Y

Yee, H., Ypsilantis, J., and Teo, C.-Y. see Ypsilantis, J.
Young, D.J., Lo, K.L., McDonald, J.R., Howard, R., and Rye, J. Development of a practical expert system for alarm processing p437
Ypsilantis, J., Yee, H., and Teo, C.-Y. Adaptive, rule based fault diagnostician for power distribution networks p461

Z

Zdravković, Z.S., and Vukelja, P.I. Switching overvoltages and risk of flashover on Yugoslav 400 kV transmission lines p141
Zeng, P.L., Lo, K.L., Marchand, E., and Pinkerton, A. see Lo, K.L.

ARCING

Analysis of partial discharge pulse distribution along transformer windings using digital filtering techniques. Q. Su and R.E. James p402
Corona discharge streamer model. T.T. Nguyen p31
Mathematical model of dry-band arcing on self-supporting, all-dielectric, optical cables strung on overhead power lines. C.N. Carter and M.A. Waldron p185

BREAKDOWN AND GAS DISCHARGES

Corona discharge streamer model. T.T. Nguyen p31

CABLES AND OVERHEAD LINES

Effect of mixed convection on the external thermal resistance of single-core and multicore bundled cables in air. V.T. Morgan p109
Efficient inverse Laplace transform algorithm for transient overvoltage calculation. A. Ahmad, P. Johannet and Ph. Auriol p117
Mathematical model of dry-band arcing on self-supporting, all-dielectric, optical cables strung on overhead power lines. C.N. Carter and M.A. Waldron p185
Real-time expert system for fault location on high voltage underground distribution cables. K.K. Kuan and K. Warwick p235

CIRCUIT BREAKERS AND CIRCUIT BREAKING

High-voltage line-dropping switching stresses. A.D. Stokes p21

CIRCUIT THEORY AND DESIGN

Towards static-security assessment of a large-scale power system using neural networks. S. Weerasooriya, M.A. El-Sharkawi, M. Damborg and R.J. Marks II p64

COMPUTER APPLICATIONS

Two-level state estimation for large power system. Part 1: Algorithms and Part 2: Computational experience. M.S. Kurzyn p175

CONTROL SYSTEMS

Development of a practical expert system for alarm processing. D.J. Young, K.L. Lo, J.R. McDonald, R. Howard and J. Rye p437
Unified power-flow control concept for flexible AC transmission systems. L. Gyugyi p323

CONVERTORS

Characteristics of unit-connected HVDC generator–convertors operating at variable speeds. J. Arrillaga, S. Sankar, C.P. Arnold and N.R. Watson p295

DIELECTRIC MATERIALS

Mathematical model of dry-band arcing on self-supporting, all-dielectric, optical cables strung on overhead power lines. C.N. Carter and M.A. Waldron p185

DIGITAL FILTERS

Analysis of partial discharge pulse distribution along transformer windings using digital filtering techniques. Q. Su and R.E. James p402

ENERGY CONVERSION AND STORAGE

Design model for electrical distribution systems considering renewable, conventional and energy storage units. A.G. Ter-Gazarian and N. Kagan p499
Incorporation of wind energy conversion systems in conventional generating capacity adequacy assessment. R. Billinton and A.A. Chowdhury p47

ERRORS AND ERROR ANALYSIS

New bad-data detection and identification technique based on rotation of measurement order for sequential state estimation. K.L. Lo, P.L. Zeng, E. Marchand and A. Pinkerton p387

FAULT DETECTION

Contribution of single-phase motors to system fault level. C.B. Cooper, Z.A. Jweiles and G.A. Khan p359

FAULT LOCATION

Effects of frequency dependence and line parameters on single ended travelling wave based fault location schemes. G.B. Ancell and N.C. Pahalawaththa p332
Real-time expert system for fault location on high voltage underground distribution cables. K.K. Kuan and K. Warwick p235

FINANCIAL MANAGEMENT

Consumer rationality assumptions in the real-time pricing of electricity. A.K. David and Y.Z. Li p315

GENERATORS

Analysis of magnetic fields in the slotted structure of a superconducting AC generator. S.K. Safi and J.R. Bumby p411
Characteristics of unit-connected HVDC generator–convertors operating at variable speeds. J. Arrillaga, S. Sankar, C.P. Arnold and N.R. Watson p295
Errata. A.I. Alolah p80
Feasibility of Lyapunov functions for power system transient stability analysis by the controlling UEP method. A.M. Eskicioğlu and O. Sevaioğlu p152
Identification of synchronous machine parameters from standstill tests using recursive estimation with the bilinear operator. R.W. Merchant and M.J. Gibbard p157
Production costing using mixed-radix and Winograd Fourier transforms. S.R. Lakshmi, S.C. Tripathy, K.S.P. Rao and R. Balasubramanian p536
Steady-state operating limits of three phase self-excited reluctance generator. A.I. Alolah p261

INDUCTION MOTORS

Contribution of single-phase motors to system fault level. C.B. Cooper, Z.A. Jweiles and G.A. Khan p359
Steady-state operating limits of three phase self-excited reluctance generator. A.I. Alolah p261

INSTRUMENTATION AND MEASURING SCIENCE

New bad-data detection and identification technique based on rotation of measurement order for sequential state estimation. K.L. Lo, P.L. Zeng, E. Marchand and A. Pinkerton p387

LOAD AND VOLTAGE REGULATION

Algorithm for load-shedding operations in reduced generation periods. K.P. Wong and B.S. Lau p478
Application of a power system stabiliser and a static VAR controller to a multimachine power system. O.P. Malik p300
Fast super decoupled loadflow. S.B. Patel p13
Load flow analysis by G–S reduction and restoration method. A.S. Hasan, T. Krishnaparandhama and A.M. Howaidi p383
New model for peak demand forecasting applied to highly complex load characteristics of a fast developing area. E.H. Barakat, J.M. Al-Qassim and S.A. Al Rashed p136
Reactive power dispatch incorporating voltage stability. A.M. Chebbo, M.R. Irving and M.J.H. Sterling p253
Voltage collapse proximity indicator: behaviour and implications. A.M. Chebbo, M.R. Irving and M.J.H. Sterling p241

MAGNETIC DEVICES AND PROPERTIES

Simulation of multilimb power transformers in the harmonic domain. A. Medina and J. Arrillaga p269
Tokamak poloidal field power supplies. J.B. Hicks and M.A. Laughton p166

MATHEMATICAL TECHNIQUES

Algorithm for load-shedding operations in reduced generation periods. K.P. Wong and B.S. Lau p478
Challenging algorithm for optimal reactive power dispatch through classical co-ordination equations. J. Nanda, L. Hari and M.L. Kothari p93
Co-ordinated static and dynamic monitoring and optimisation of power systems using a parallel architecture and pattern recognition techniques. C.S. Chang p197
Extremely fast economic load dispatch algorithm through modified co-ordination equations. J. Nanda, L. Hari, M.L. Kothari and J. Henry p39
Fast and accurate technique for power system state estimation. Adel Ali Abou El-Ela p7
Fast super decoupled loadflow. S.B. Patel p13
Feasibility of Lyapunov functions for power system transient stability analysis by the controlling UEP method. A.M. Eskicioğlu and O. Sevaioğlu p152
Prediction models of standing wave patterns of distribution line carrier channels. S. Celozzi and M. D'Amore p102
Production costing using mixed-radix and Winograd Fourier transforms. S.R. Lakshmi, S.C. Tripathy, K.S.P. Rao and R. Balasubramanian p536
Two-level state estimation for large power system. Part 1: Algorithms and Part 2: Computational experience. M.S. Kurzyn p175

NETWORKS

Adaptive analogue network for real-time estimation of basic waveforms of voltages and currents. A. Cichocki and T. Łobos p343
Neural network for estimation of harmonic components in a power system. S. Osowski p129
Prediction models of standing wave patterns of distribution line carrier channels. S. Celozzi and M. D'Amore p102

NUMERICAL ANALYSIS

Uncertainty considerations in frequency and duration analysis for large hydrothermal generating systems. A.M. Leite da Silva, J. Coelho and A.C.G. Melo p277

OPTICAL CABLES

Mathematical model of dry-band arcing on self-supporting, all-dielectric, optical cables strung on overhead power lines. C.N. Carter and M.A. Waldron p185

OPTIMAL CONTROL

Efficient identification of binding inequality constraints in the optimal power flow Newton approach. O. Crisan and M.A. Mohtadi p365

OPTIMISATION

Co-ordinated static and dynamic monitoring and optimisation of power systems using a parallel architecture and pattern recognition techniques. C.S. Chang p197
Enhanced Newton optimal power flow approach: experiences in Taiwan power system. Y.Y. Hong p205

PHASING AND PHASE CONTROL

Fast estimation of symmetrical components in real time. T. Łobos p27

PICTURE PROCESSING AND PATTERN RECOGNITION

Applying pattern recognition in distance relaying. Part 1: Concept. S.K. Chakravarthy, C.V. Nayar and N.R. Achuthan p301
Applying pattern recognition in distance relaying. Part 2: Feasibility. S.K. Chakravarthy, C.V. Nayar and N.R. Achuthan p306

POWER ELECTRONICS

Hybrid method to determine bus voltage and angle for line outage contingency evaluation. A.K. Jana, P.B. Dutta Gupta and G. Durga Prasad p177
Tokamak poloidal field power supplies. J.B. Hicks and M.A. Laughton p166

POWER SYSTEM PROTECTION

General purpose fast decoupled power flow. J. Nanda, P.R. Bijwe, J. Henry and V. Bapi Raju p87

POWER SYSTEMS AND PLANT

An efficient methodology for coherency-based dynamic equivalents. E.J.S. Pires de Souza and A.M. Leite da Silva p371
Application of a power system stabiliser and a static VAR controller to a multimachine power system. O.P. Malik p300
Capability chart for electrical power systems. E. Chiodo, A. Losi, R. Mongelluzzo and F. Rossi p71
Contribution of single-phase motors to system fault level. C.B. Cooper, Z.A. Jweiles and G.A. Khan p359
Environmentally constrained unit commitment. S. Kuloor, G.S. Hope and O.P. Malik p122
Fast and accurate technique for power system state estimation. Adel Ali Abou El-Ela p7
Fuzzy expert systems: an application to short-term load forecasting. Y.-Y. Hsu and K.-L. Ho p471
Hybrid method to determine bus voltage and angle for line outage contingency evaluation. A.K. Jana, P.B. Dutta Gupta and G. Durga Prasad p177
Neural net based determination of generator-shedding requirements in electric power systems. M. Djukanovic, D.J. Sobajic and Y.-H. Pao p427
Neural network for estimation of harmonic components in a power system. S. Osowski p129
Novel adaptive control scheme for improving power system stability. Y.H. Song p423
Principles of fault limitation by a resonant LC circuit. G.G. Karady p1
Sequential simulation applied to composite system reliability evaluation. J.R. Ubeda and R.N. Allan p81
Short-term scheduling of a pumped storage plant. L.A.F.M. Ferreira p521
Towards static-security assessment of a large-scale power system using neural networks. S. Weerasooriya, M.A. El-Sharkawi, M. Damborg and R.J. Marks II p64

POWER TRANSMISSION AND DISTRIBUTION

Adaptive, rule based fault diagnostician for power distribution networks. J. Ypsilantis, H. Yee and C.-Y. Teo p461
Capability chart for electrical power systems. E. Chiodo, A. Losi, R. Mongelluzzo and F. Rossi p71
Challenging algorithm for optimal reactive power dispatch through classical co-ordination equations. J. Nanda, L. Hari and M.L. Kothari p93
Co-ordinated static and dynamic monitoring and optimisation of power systems using a parallel architecture and pattern recognition techniques. C.S. Chang p197
Consumer rationality assumptions in the real-time pricing of electricity. A.K. David and Y.Z. Li p315
Corona discharge streamer model. T.T. Nguyen p31
Design model for electrical distribution systems considering renewable, conventional and energy storage units. A.G. Ter-Gazarian and N. Kagan p499
Enhanced Newton optimal power flow approach: experiences in Taiwan power system. Y.Y. Hong p205
Incorporation of a DC link in a composite system adequacy assessment — DC system modelling. R. Billinton and D.S. Ahluwalia p211
Incorporation of a DC link in a composite system adequacy assessment — composite system analysis. R. Billinton and D.S. Ahluwalia p221
Load flow analysis by G–S reduction and restoration method. A.S. Hasan, T. Krishnaparandhama and A.M. Howaidi p383
Reactive power dispatch incorporating voltage stability. A.M. Chebbo, M.R. Irving and M.J.H. Sterling p253
Real-time expert system for fault location on high voltage underground distribution cables. K.K. Kuan and K. Warwick p235
System voltage and reactive power control: A computer-assisted manual/automatic concept. M.R. Bjelogrlić, M.S. Calović, P.M. Ristanović and B.S. Babić p491
Unified power-flow control concept for flexible AC transmission systems. L. Gyugyi p323
Voltage collapse proximity indicator: behaviour and implications. A.M. Chebbo, M.R. Irving and M.J.H. Sterling p241

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Steady-state temperature rises of ONAN/ONAF/OFAF transformers. Z. Godec and R. Šarunac p448

RELIABILITY

Incorporation of a DC link in a composite system adequacy assessment — DC system modelling. R. Billinton and D.S. Ahluwalia p211
Load modelling for generating capacity reliability evaluation using the frequency and duration method. J. Nahman and M. Graovac p529
Overall adequacy assessment of an electric power system. R. Billinton and L. Goel p57
Uncertainty considerations in frequency and duration analysis for large hydrothermal generating systems. A.M. Leite da Silva, J. Coelho and A.C.G. Melo p277

RELUCTANCE MOTORS

Steady-state operating limits of three phase self-excited reluctance generator. A.I. Alolah p261

SIMULATION

An efficient methodology for coherency-based dynamic equivalents. E.J.S. Pires de Souza and A.M. Leite da Silva p371
Computer studies of the performance of transformer windings against chopped impulse voltages. S. Munshi, C.K. Roy and J.R. Biswas p286
Digital model for transient studies of a three-phase five-legged transformer. X.S. Chen and P. Neudorfer p351
General purpose fast decoupled power flow. J. Nanda, P.R. Bijwe, J. Henry and V. Bapi Raju p87
Incorporation of a DC link in a composite system adequacy assessment — DC system modelling. R. Billinton and D.S. Ahluwalia p211
Incorporation of a DC link in a composite system adequacy assessment — composite system analysis. R. Billinton and D.S. Ahluwalia p221
Load modelling for generating capacity reliability evaluation using the frequency and duration method. J. Nahman and M. Graovac p529
Maximum likelihood estimation of synchronous machine parameters and study of noise effect from DC flux decay data. A. Keyhani and S.I. Moon p76
New model for peak demand forecasting applied to highly complex load characteristics of a fast developing area. E.H. Barakat, J.M. Al-Qassim and S.A. Al Rashed p136
Sequential simulation applied to composite system reliability evaluation. J.R. Ubeda and R.N. Allan p81

SUPERCONDUCTIVITY

Analysis of magnetic fields in the slotted structure of a superconducting AC generator. S.K. Safi and J.R. Bumby p411

SWITCHES AND SWITCHING THEORY

High-voltage line-dropping switching stresses. A.D. Stokes p21

SYNCHRONOUS MOTORS

Maximum likelihood estimation of synchronous machine parameters and study of noise effect from DC flux decay data. A. Keyhani and S.I. Moon p76

SYSTEM PROTECTION

Applying pattern recognition in distance relaying. Part 1: Concept. S.K. Chakravarthy, C.V. Nayar and N.R. Achuthan p301
Applying pattern recognition in distance relaying. Part 2: Feasibility. S.K. Chakravarthy, C.V. Nayar and N.R. Achuthan p306
Switching overvoltages and risk of flashover on Yugoslav 400 kV transmission lines. Z.S. Zdravković and P.I. Vukelja p141

THYRISTORS

Principles of fault limitation by a resonant LC circuit. G.G. Karady p1

TRANSFORMERS

Analysis of partial discharge pulse distribution along transformer windings using digital filtering techniques. Q. Su and R.E. James p402
Application of modified modal theory in the modelling of practical transformers. D.J. Wilcox, W.G. Hurley, T.P. McHale and M. Conlon p513
Calculation of the transient performance of protective current transformers including core hysteresis. D. O'Kelly p455
Computer studies of the performance of transformer windings against chopped impulse voltages. S. Munshi, C.K. Roy and J.R. Biswas p286
Digital model for transient studies of a three-phase five-legged transformer. X.S. Chen and P. Neudorfer p351
Modified theory of modal analysis for the modelling of multiwinding transformers. D.J. Wilcox and T.P. McHale p505
Numerical approximation of heat run test results of transformers by means of double exponential and power functions. R. Sobocki p469
Open wye-open delta and open delta-open delta transformer models for rigorous distribution system analysis. T.-H. Chen and J.-D. Chang p227
Simulation of multilimb power transformers in the harmonic domain. A. Medina and J. Arrillaga p269
Steady-state temperature rises of ONAN/ONAF/OFAF transformers. Z. Godec and R. Šarunac p448

TRANSIENTS

Efficient inverse Laplace transform algorithm for transient overvoltage calculation. A. Ahmad, P. Johannet and Ph. Auriol p117
Two-level state estimation for large power system. Part 1: Algorithms and Part 2: Computational experience. M.S. Kurzyn p175

TRANSMISSION LINES

Corona discharge streamer model. T.T. Nguyen p31
Switching overvoltages and risk of flashover on Yugoslav 400 kV transmission lines. Z.S. Zdravković and P.I. Vukelja p141